

Product Catalogue

www.uralkali-trading.com



Uralkali today

Uralkali is a leading vertically integrated producer of potash.

Uralkali's production is located at the Verkhnekamskoye potassium and magnesium salt field at Berezniki and Solikamsk, Perm Region, the world's second largest field in terms of ore reserves.

The company is one of the world's largest potash producers and controls its entire production chain, from potash ore mining through to the supply of potash to customers.

Uralkali products are distributed through a global sales network which combines access to all the main regions of potash consumption.

Uralkali exports its products through Uralkali Trading SIA and its subsidiaries to more than 70 countries.

Uralkali Trading has representative offices in Europe, Latin America, India, China, Southeast Asia and the United States. UFCL supplies URALKALI products to African region.

Assets of Uralkali

The Company's mining operations comprise five mines, six potash plants and one carnallite plant.



Baltic Bulk Terminal
(St. Petersburg city)



Uralkali Trading SIA



Warehouse facilities with a capacity
of over 1 million tonnes



A fleet of 8 thousand
specialised mineral railcars

Products

Uralkali enriches potash ore using the crystallization and flotation methods



Uralkali's products comply with the best international quality standards. Independent inspection is arranged at each loading port to ensure the highest quality of our products.



Uralkali has been recognized as an Industry Stewardship Champion 2020 by the International Fertilizer Association (IFA), for the Company's outstanding achievements in product stewardship.

Standard products

Pink Granular MOP 60% K ₂ O	2
Pink Microgranular MOP 60% K ₂ O	3
Pink Standard MOP 60% K ₂ O	4
White Standard MOP 60% K ₂ O	5
White Standard MOP 62% K ₂ O	6
White Fine MOP 60% K ₂ O	7
White Fine MOP (Grade A) 62% K ₂ O	8
White Fine MOP (Grade B) 62% K ₂ O	9
Potassium Chloride Pellets	10

Special products

DripKALI

MOP 0-0-62 for irrigation systems	11
---	----

PETROKALI

Potassium Chloride for drilling fluids	12
--	----

FeedKALI

Potassium Chloride for animal nutrition	13
---	----

MOP

Pink Granular 60% K₂O

- direct-application fertilizer
- bulk blends production



Chemical Analysis

Component	Typical, %	Guarantee, %
Potassium chloride (KCl)	95.8	95 min
in terms of K ₂ O	60.4	60 min
in terms of K	50.1	
Sodium chloride (NaCl)	3.0	
in terms of Na	1.2	
Magnesium (Mg)	0.01	
Calcium (Ca)	0.16	
Insolubles in water	0.6	
Moisture	0.04	0.5 max
Anticaking agent	Added	

Available package:



Granulometry

Standard, mm	Cumulative wt%	
	Typical	Range
+4	6.8	10 max
-2	3.0	10 max
-1	0.3	2 max
-0.5	0.1	0.5 max
	Typical	
Size Guide Number (SGN)	300	
Uniformity Index (UI)	54	

Physical Properties

Bulk density	1000 – 1100 kg/m ³
Angle of repose	26 – 40 degrees

MOP

Pink Microgranular

- direct-application fertilizer
- bulk blends production

Chemical Analysis

Component	Typical, %	Guarantee, %
Potassium chloride (KCl)	95.8	95 min
in terms of K ₂ O	60.4	60 min
in terms of K	50.1	
Sodium chloride (NaCl)	3.0	
in terms of Na	1.2	
Magnesium (Mg)	0.01	
Calcium (Ca)	0.16	
Insolubles in water	0.6	
Moisture	0.04	0.5 max
Anticaking agent	Added	

Available package:



Granulometry

Standard, mm	Guarantee, %
-2.8	90 min
-1	10 max

*Product analyses are typical as tested at the mine site.

**Handling and transportation may affect the analysis of the delivered product.

MOP

Pink Standard 60% K₂O

- direct-application fertilizer
- production of complex fertilizers
- metallurgy



Chemical Analysis

Component	Typical, %	Guarantee, %
Potassium chloride (KCl)	95.8	95 min
in terms of K ₂ O	60.4	60 min
in terms of K	50.1	
Sodium chloride (NaCl)	2.9	
in terms of Na	1.1	
Magnesium (Mg)	0.01	
Calcium (Ca)	0.16	
Insolubles in water	0.6	
Moisture	0.1	0.5 max
Anticaking agent	Added	

Available package:



Granulometry***

Standard, mm	Cumulative wt%	
	Range	
+1.7	0 – 2.1	
+1.0	3 – 24	
+0.63	24 – 48	
+0.4	48 – 69	
+0.25	65 – 85	
+0.2	73 – 92	
+0.1	87 – 99	
	Typical	Range
Size guide number (SGN)	48	36 – 71

Physical Properties***

Bulk density	1010 – 1190 kg/m ³
Angle of repose	29 – 39 degrees

MOP

White Standard 60% K₂O

- production of complex fertilizers
- metallurgy

Chemical Analysis

Component	Typical, %	Guarantee, %
Potassium chloride (KCl)	97.4	95 min
in terms of K ₂ O	61.4	60 min
in terms of K	51.0	
Sodium chloride (NaCl)	2.4	
in terms of Na	1.0	
Magnesium (Mg)	0.01	
Calcium (Ca)	0.01	
Insolubles in water	0.01	
Moisture	0.05	0.5 max
Anticaking agent	Added	

Available package:



Granulometry

Standard, mm	Cumulative wt%	
	Typical	Range
+1.7	0.4	0 – 2.1
+1	9.1	2 – 18
+0.63	36	17 – 54
+0.4	73	58 – 89
+0.2	95	91 – 99
+0.1	99.3	99 – 100
	Typical	
Size guide number (SGN)	55	

Physical Properties

Bulk density	1080 – 1180 kg/m ³
Angle of repose	25 – 29 degrees

*Product analyses are typical as tested at the mine site.

**Handling and transportation may affect the analysis of the delivered product.

MOP

White Standard 62% K₂O

- production of complex fertilizers
- production of potassium nitrate (NOP)
- water-soluble/liquid fertilizer
- metallurgy
- metal galvanization
- water softener

Chemical Analysis

Component	Typical, %	Guarantee, %
Potassium chloride (KCl)	98.4	98.2 min
in terms of K ₂ O	62.1	62 min
in terms of K	51.5	
Sodium chloride (NaCl)	1.5	
in terms of Na	0.6	
Magnesium (Mg)	0.01	
Calcium (Ca)	0.01	
Bromide (Br ⁻)	0.08	
Insolubles in water	0.01	
Moisture	0.05	0.5 max
Anticaking agent	Added	

Available package:



Bags

Big-bags

Bulk

Granulometry

Standard, mm	Cumulative wt%	
	Typical	Range
+1.7	0.1	0 – 0.2
+1	4.0	2 – 7
+0.63	29	23 – 40
+0.4	70	64 – 81
+0.2	97	95 – 99
+0.1	99.6	99 – 100
	Typical	
Size guide number (SGN)	52	

Physical Properties

Bulk density	1090 – 1160 kg/m ³
Angle of repose	24 – 35 degrees

*Product analyses are typical as tested at the mine site.

**Handling and transportation may affect the analysis of the delivered product.

MOP

White Fine 60% K₂O

● production of complex fertilizers

Chemical Analysis

Component	Typical, %	Guarantee, %
Potassium chloride (KCl)	97.3	95 min
in terms of K ₂ O	61.4	60 min
in terms of K	50.9	
Sodium chloride (NaCl)	2.5	
in terms of Na	1.0	
Magnesium (Mg)	0.01	
Calcium (Ca)	0.01	
Insolubles in water	0.03	
Moisture	0.03	1.0 max
Anticaking agent	Added	

Available package:



Granulometry

Standard, mm	Cumulative wt%	
	Typical	Range
+1	0.1	0 – 0.2
+0.63	0.3	0.1 – 0.5
+0.4	3.8	2 – 6
+0.2	58	26 – 50
+0.1	83	71 – 93
+0.063	98	89 – 98
	Typical	
Size guide number (SGN)	18	

Physical Properties

Bulk density	990 – 1120 kg/m ³
Angle of repose	28 – 30 degrees

*Product analyses are typical as tested at the mine site.

**Handling and transportation may affect the analysis of the delivered product.

MOP

White Fine 62% K₂O (Grade A)

- production of potassium sulphate (SOP)
- water-soluble/liquid fertilizer

Chemical Analysis

Component	Typical, %	Guarantee, %
Potassium chloride (KCl)	98.8	98.2 min
in terms of K ₂ O	62.3	62 min
in terms of K	51.7	
Sodium chloride (NaCl)	1.1	1.3 max
in terms of Na	0.4	
Magnesium (Mg)	0.01	
Calcium (Ca)	0.01	
Sulfate (SO ₄ ²⁻)	0.01	
Bromide (Br ⁻)	0.09	
Insolubles in water	0.04	
Moisture	0.02	0.5 max
Anticaking agent	Added	

Available package:



Granulometry

Standard, mm	Cumulative wt%	
	Typical	Range
+1	0.1	0 – 0.3
+0.63	0.2	0 – 0.5
+0.4	3.3	1 – 5
+0.2	41	31 – 53
+0.1	86	78 – 94
+0.063	96	92 – 98
	Typical	
Size guide number (SGN)	18	

Physical Properties

Bulk density	1020 – 1110 kg/m ³
Angle of repose	29 – 31 degree

MOP

White Fine 62% K₂O (Grade B)

- production of potassium sulphate (SOP)
- water-soluble/liquid fertilizer

Chemical Analysis

Component	Typical, %	Guarantee, %
Potassium chloride (KCl) in terms of K ₂ O in terms of K	98.6 62.2 51.6	98.2 min 62 min
Sodium chloride (NaCl) in terms of Na	1.2 0.5	1.6 max
Magnesium (Mg)	0.01	
Calcium (Ca)	0.01	
Sulfate (SO ₄ ²⁻)	0.01	
Bromide (Br ⁻)	0.08	
Insolubles in water	0.03	
Moisture	0.02	0.5 max
Anticaking agent	Added	

Available package:



Granulometry

Standard, mm	Cumulative wt%	
	Typical	Range
+1	0.1	0 – 0.2
+0.63	0.2	0 – 0.5
+0.4	3.6	2 – 5
+0.2	41	33– 51
+0.1	86	77 – 92
+0.063	96	92 – 99
	Typical	
Size guide number (SGN)	18	

Physical Properties

Bulk density	1010 – 1140 kg/m ³
Angle of repose	27 – 30 degree

*Product analyses are typical as tested at the mine site.

**Handling and transportation may affect the analysis of the delivered product.

Potassium Chloride Pellets

- production of potassium hydroxide (caustic potash)
- water softener

Chemical Analysis

Component	Typical, %	Guarantee, %
Potassium chloride (KCl)	98.8	98.2 min
Sodium chloride (NaCl) in terms of Na	1.1 0.4	1.3 max
Magnesium (Mg)	35 ppm	
Calcium (Ca)	90 ppm	
Sulfate (SO ₄ ²⁻)	90 ppm	
Bromide (Br ⁻)	900 ppm	
Insolubles in water	0.03	
Moisture		0.5 max
Anticaking agent	No	

Available package:



Granulometry

Standard, mm	Cumulative wt%
+30	5 max
4-30	90 min
-4	5 max

Drip KALI

MOP 0-0-62
for irrigation systems

Available package:



Chemical Analysis

Component	Typical, %	Guarantee, %
Water soluble potash (expressed as K_2O)		62 min
Insolubles in water	0.01	
Moisture content		0.5 max
Granulometric composition: less than 2 mm	100	

- 100% water-soluble
- Maximum concentration of K_2O
- Compatible with all types of water soluble fertilizers
- Safe for irrigation system
- No heavy metals
- No dust
- 100% friability



PETROKALI

Potassium Chloride for drilling fluids

Available package:



- Stabilizes water sensitive clays and shales
- Allows producing well-killing fluids of up to 1170 kg/m³ density
- Compatible with most drilling fluid additives
- High chemical purity
- 100% solubility in water


Chemical Analysis

Component	Typical, %	Guarantee, %
Potassium chloride (KCl)		98.2 min
Insolubles in water	0.01	
Moisture content		0.5 max
Granulometric composition less than 2 mm	100	

FeedKALI

Potassium Chloride for animal nutrition

Available package:



Chemical Analysis


Component	Typical, %	Guarantee, %
Potassium chloride (KCl) in terms of K	98.4 51.5	98.2 min
Sodium chloride (NaCl) in terms of Na	1.5 0.6	
in terms of Cl (total)	47.8	
Moisture content		0.5 max
Granulometric composition less than 2 mm	100	

- High content of potassium (K) – 51.5%
- Uniform particle size
- No heavy metals
- 100% friability
- Certified for animal nutrition





Uralkali has a worldwide presence selling its products through Uralkali Trading SIA and UFCL



Uralkali Moscow Representative Office

6 Presnenskaya embankment, building 2,
34th floor, Moscow, Russia, 123112
Telephone: +7 495 730 2371
E-mail: russia-sales@uralkali.com

Uralkali Trading SIA

7 Vesetas Street,
Riga, LV-1013, Latvia
Telephone: +371 67 152 055
E-mail: sales@uralkali-trading.com

Uralkali

63 ul. Pyatiletki, Berezniki,
Perm Region, Russia, 618426
E-mail: uralkali@uralkali.com

UKT Chicago Inc.

2150, E. Lake Cook Road, suite #550
Buffalo Grove, IL, USA 60089
Telephone: +1 847 541 57 47
E-mail: usa@uralkali-trading.com

Latvia Uralkali Trading SIA Beijing Representative Office

2902, Office Tower 3, China Central Place,
No.77, Jian Guo Road, Chaoyang District,
Beijing, 100025, China
Telephone: +86 10 8588 7886
E-mail: china@uralkali-trading.com

Uralkali Trading SIA, Panama Branch

PH Brazil 405, Oficina 15G,
Acueducto street, Via Brasil,
Panama City, Panama
Telephone: +507 396 91 82 / 3
E-mail: panama@uralkali-trading.com

Uralkali Trading SIA, Singapore Branch

Winsland House 1, 3 Killiney Rd #07-04,
Singapore 239519
Telephone: +65 6734 5004
E-mail: singapore@uralkali-trading.com

Uralkali Trading Fertilizantes Brasil LTDA


Edifício Roque Petroni
Avenida Raque Petroni Junior, 850,
Torre A, conjunto 144. 14º andar.
Bairro: Jardim das Acácias-
Sao Paulo - SP - Brasil, CEP: 04707-000
Telephone: +55 11 3729 2020
E-mail: brazil@uralkali-trading.com

Uralkali Trading SIA, India Branch

Office 1626 – Spaces, 16th
Floor – Max Towers, DND Flyway,
Sector 16 B, Noida 201301, Uttar
Pradesh, India.
Telephone: +91 98 7142 3444
E-mail: india@uralkali-trading.com

UNITED FERTILIZERS COMPANY LTD. (UFCL)

5th floor, Tower B, 1 Cybercity,
Ebene, 72201, Mauritius
Telephone: +230 460 8985
E-mail: info@ufertilizers.com



URALKALI
Trading SIA

Uralkali Trading SIA

7 Vešetas Street, Riga, LV-1013, Latvia

+371 67 152 055

sales@uralkali-trading.com

www.uralkali-trading.com